



Head protection

# PACAYA SMOKE LYVIZ

## SAFETY GLASSES

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions



### Specific benefits



#### Comfort

- Ample indirect venting on the top and bottom of the lens to reduce moisture infiltration and fogging
- Gasket brings an increased comfort and optimal sealing
- Wide frame bringing a better fit for wider facial profile



#### Performance

- Design incorporates brow protection and both side shields and vents for an optimal vision in heat conditions
- Spherical visor for an extra large field of vision



#### Durability

- Anti-scratch coating increasing lifespan

### Technologies & labels

LYVIZ™

LYVIZ™

### Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Automotive

### Certifications and norms



**EN172**

UV 5 - 3.1

**EN166**

1 FT / FT

**ANSI Z87.1-2003**

Z87+ U6 L3



Head protection

# PACAYA SMOKE LYVIZ

## SAFETY GLASSES

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions

### Standards - Details

### Technical details

Kind of spectacles	Glasses
Use	Outside
Gasket	Absorbing Foam
Lens matériel	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400
Lens based curve	8
Lens support	Monobloc
Lens color	Smoke
Lens characteristic	Curved
Nose pad material	Polycarbonate
Frame material	Nylon
Frame	Temples
Frame color	Black
Temples benefit	Adjustable width
Temples confort	Flexible tip
Optional accessories	Strap
Weight	36 g
Benefits elements	Hydrophobe








Head protection

# PACAYA SMOKE LYVIZ

## SAFETY GLASSES

Protective goggles with removable foam insert, lens with oleo/hydrophobic treatment for intensive use in all conditions

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
PACAYLVFU	Smoke	-	PACAYA SMOKE LYVIZ	3295249216757	13295249216754	100	10	7.232 kg	30.6 cm	40.0 cm	63.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height