



Head protection

# HELIUM 2 DETECTABLE

## SAFETY GLASSES

Ultra light blue safety glasses with metallic frames, ideal for the food industry



### Specific benefits



#### Comfort

- Contemporary wrap-around bifocal design offers a close fit and comfortable protection.
- Extra flat temples for optimal comfort and less pressure
- Flex temples for an optimal comfort with less pressure
- Ultra lightweight for a better acceptance in extended period of use



#### Performance

- Metallically charged blue frame visually detectable by X-ray and magnetism Suitable for the food industry



#### Easy to use

- Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)

### Applications

- **Manufacturing/Transformation**
- **Accommodation & Food services**
- **Cleanliness**
- **Temporary work**
- **Transportation**
- **Storage**

### Certifications and norms



#### EN170

UV 2C - 1.2

#### EN166

1 FT / FT

#### ANSI-ISEA Z87.1 - IMPACT

Z87+ U6 L1.3



Head protection

# HELIUM 2 DETECTABLE

## SAFETY GLASSES

Ultra light blue safety glasses with metallic frames, ideal for the food industry

### Standards - Details

### Technical details

Kind of spectacles	Glasses
Use	Inside
Lens matériel	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), Antistatic
Lens based curve	9.5
Lens support	Monobloc
Lens color	Blue
Lens characteristic	Curved
Nose pad material	Polycarbonate
Frame material	Polycarbonate
Frame	Temples
Temples benefit	Extra thin, Extra flat
Temples confort	Non-slip temples, Padded temples, Flexible tip
Optional accessories	Strap, Case
Weight	17 g
Benefits elements	Antistatic, Color perception, Detectable








# HELIUM 2 DETECTABLE

## SAFETY GLASSES

Ultra light blue safety glasses with metallic frames, ideal for the food industry

Head protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HELI2DE	Blue	-	HELIUM 2 DETECTABLE	3295249254520	13295249254527	100	10	5.7 kg	32.0 cm	59.0 cm	34.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height