

### **HELIUM 2 SMOKE**

**SAFETY GLASSES** 

Ultra light smoked-lens safety glasses with flexible arms



### **Specific benefits**



#### **Comfort**

- · Contemporary wrap-around bifocal design offers a close fit and comfortable protection.
- · Extra flat temples for optimal comfort and less pressure
- · Flex temples for an optimal comfort with less pressure
- $\cdot$  Ultra lightweight for a better acceptance in extended period of use



#### Performance

- · High performance optical class for less visual fatigue
- · Wrap-around, uni-lens design offers full panoramic view and excellent side protection

### **Applications**

- Public works
- Building
- Finishing works / Craftsmanship

### **Certifications and norms**



**EN172** 

UV 5 - 2.5

EN166

1 FT / FT

**ANSI-ISEA Z87.1 - IMPACT** 

Z87+ U6 L2

## **Protects against risks**











# **HELIUM 2 SMOKE**

**SAFETY GLASSES** 

Ultra light smoked-lens safety glasses with flexible arms

### **Standards - Details**

### **Technical details**

Type of eye protection	Glasses
Use	Outside
Lens matérial	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), UV400, Antistatic
Lens based curve	9.5
Lens support	Monobloc
Lens color	Smoke
Optical class	1
Lens protection class	2.5
Lens caracteristic	Curved
Mechanical strength (lens)	F, T
Nose pad material	Polycarbonate
Frame material	TPE, Polycarbonate
Frame	Temples
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temples benefit	Extra thin, Extra flat, Non-slip temples
Temples confort	Non-slip temples, Flexible temples
Optional accessories	Strap, Case
Weight (g)	17
Benefits elements	Ear protection compatibility







# **HELIUM 2 SMOKE**

**SAFETY GLASSES** 

Ultra light smoked-lens safety glasses with flexible arms

#### **Head protection**

Logistics information												
Reference	Colour	Size	Designation	EAN13	Box code		Å	Weight				
HELI2FU	Smoke	-	HELIUM 2 SMOKE	3295249254551	13295249254558	100	10	5.7 kg	32.0 cm	59.0 cm	34.0 cm	

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height