



PRO5 DAMA OB

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection



Specific benefits



Comfort

- Comfortable light and soft EVA foam insole



Performance

- Sanitized® protection that reduces the proliferation of fungi and bacteria, providing greater freshness to the user.
- Greater chemical resistance thanks to its high-performance sole.



Easy to use

- Multitrack non-slip sole, oil resistant.

Certifications and norms



ASTM F2413

ASTM F2413-18 I/75, C/75

Technologies & labels



SANITIZED®

Applications

- Agriculture
- Fishing
- Public works
- Manufacturing/Transformation
- Food & Beverage
- Heavy industry



PRO5 DAMA OB

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection

Standards - Details

Technical details

Shoe type	Boot
Upper material and finition	PVC
Upper height size 42	33 cm
Lining material	Textile
Footbed material	EVA
Footbed characteristic	Removable
Outsole material	Nitrile
Outsole finition	Injected
Weight	900 g per shoe
Size range	22 → 25



PRO5 DAMA OB

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Safety footwear

Logistics information


Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WMXP5LOBBR22	White-Red	22	PRO5 DAMA OB	7502260643377	7502260643377	10	1	15.256 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5LOBBR23	White-Red	23	PRO5 DAMA OB	7502260643384	7502260643384	10	1	16.296 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5LOBBR24	White-Red	24	PRO5 DAMA OB	7502260643391	7502260643391	10	1	17.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5LOBBR25	White-Red	25	PRO5 DAMA OB	7502260643407	7502260643407	10	1	19.256 kg	49.0 cm	49.0 cm	39.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height